



**ADHD
Parent Readiness
Education Program
(PREP)**

CADDAC
416-637-8584
www.caddac.ca


© CADDAC 2015 

1




ADHD and Parents

- ▷ Accepting the Disorder
- ▷ Impact on the Parents


© CADDAC 2015 

2

ACCEPTING THE DISORDER

© CADDAC 2015 

3




Stages of Acceptance of the Disorder


- ▷ Parents will likely go through emotional stages after hearing a diagnosis – similar to the stages of grief
- ▷ This is totally acceptable and expected

Some Stages:

- ▷ Disbelief, denial and confusion
- ▷ Disappointment, anger and fear
- ▷ Bargaining
- ▷ Guilt, powerlessness, depression
- ▷ Relief and Acceptance
- ▷ Stages may not all occur, be in a particular order, or occur at the same level of intensity


© CADDAC 2015 

4



Disbelief, Denial, Questioning and Confusion

- ▷ Disbelief and Denial - "There is nothing wrong with my child" and/or "This disorder is not real"
- ▷ A parent may relate too closely with the child due to their own symptoms "Chip off the block?"
- ▷ Blaming Others - "It is due to my spouse's inadequate parenting or the lazy teacher"
- ▷ Confusion – a parent may be very confused, wonder how their bright child can have a disorder, have lots of questions but be afraid of challenging the doctor
- ▷ Questions and expression of dismay and disbelief are normal and should be encouraged

© CADDAC 2015 

5




Disappointment, Anger, Fear

- ▷ All parents have dreams for their children, this may make them feel that their dreams have died – "Welcome to Holland" – need not be the case
- ▷ Anger can be directed at many sources, medical staff, teachers, spouse and child – channel into advocacy
- ▷ Blaming self – more often mothers or spouse who also has ADHD – channel into advocacy
- ▷ Fear can often be masked as anger – parents concern for their children's happiness and success can easily turn into fear when exposed to negative comments and statistics


© CADDAC 2015 

6




Bargaining

- ▶ This stage may or may not occur depending on the resistance to the diagnosis
- ▶ Often seen in attempts to just try harder as parents or make the teacher's change what they are doing
- ▶ Caution - parents who feel that they simply need to be stricter on the child could lead to abusive situation
- ▶ This can also be seen as a parent trying any and all types of therapy or treatment even if not supported by scientific data – the search for the "magic pill" or treatment that will just make this go away.


© CADDAC 2015 

7




Guilt, Helplessness, Depression

- ▶ Parents may feel guilty that they did not spot something earlier
- ▶ Guilt at the past way they handled situations
- ▶ Guilt on passing on the disorder
- ▶ May feel powerless especially if the child is old enough to deny the ADHD and not buy into treatment
- ▶ Powerless to advocate for child if other family members and /or the school does not understand
- ▶ Maternal depression common
- ▶ May start to feel that the situation is hopeless
- ▶ May be unsupported by spouse or extended family


© CADDAC 2015 

8



Relief and Acceptance

- ▶ Parent(s) might feel relieved immediately if they have worked through some stages prior to the diagnosis
- ▶ They may have know there was an issue for some time and now feel relieved that they have an answer
- ▶ True acceptance of the disorder has to also include hope for the future
- ▶ Most parents need to be educated about ADHD before true acceptance and understating occurs
- ▶ Next steps – how to move forward – implement strategies and accommodations at home and school and improve family functioning

© CADDAC 2015 

9



Group Discussion

Have you experienced any of these emotions?

What stage do you think you are currently in?

- ▷ Disbelief
- ▷ Denial
- ▷ Confusion
- ▷ Fear and Anger
- ▷ Guilt
- ▷ Bargaining
- ▷ Helplessness and depression
- ▷ Parents who are at two different levels


© CADDAC 2015 

10

IMPACT ON THE PARENTS


© CADDAC 2015 

11




Impact on Parents

- ▷ More stress on parents and between spouses
- ▷ Disagree on diagnosis, treatment and parenting
- ▷ This leads to inconsistent parenting
- ▷ More discord than families with learning disorders even when ODD is taken out of the equation
- ▷ Less family and marital satisfaction especially for spouse with ADHD
- ▷ Family, friends and even strangers give unsolicited advise and judge parenting and treatment decisions
- ▷ May feel the stigma of their child having a disorder


© CADDAC 2015 

12




Additional Stressors

- ▷ Child's mood dysregulation - more moody & irritable can be stressful for parents
- ▷ ODD is particularly stressful for parents
- ▷ Doubt their parenting
- ▷ There may be increased financial stress if mother cannot work due to school or behavioural issues


© CADDAC 2015 

13



School Related Parental Stress

- ▷ Continuous calls from the school
- ▷ Adversarial rather than team approach
- ▷ School blaming the parents for lax or bad parenting
- ▷ Educators lack of knowledge about ADHD
- ▷ Educators lack of good proactive school strategies
- ▷ This can result in reactive punitive strategies that do not work
- ▷ Wrong rather than right medical labelling of the child by educators, classmates and their parents
- ▷ School using consequences such as sending the child home, excluding their participation in class trips or social events


© CADDAC 2015 

14



References


- Axelrod J., The 5 Stages of Loss and Grief, <http://psychcentral.com/lib/the-5-stages-of-loss-and-grief/000617>
- November 98 issue of the Journal of Attention Disorders that looks explicitly at how parents who have a child with ADHD feel that things are going in their family (Kaplan, B.J., Crawford, S.G., Fisher, G.C., & Dewey, D.M. (1998).
- Family dysfunction is more strongly associated with ADHD than with general school problems. Journal of Attention Disorders, Vol. 2(4), 209-216). <http://momswithadhd.ning.com/page/the-impact-that-having-a-child>
- V A Harpin. The effect of ADHD on the life of an individual, their family, and community from preschool to adult life. Arch Dis Child 2005;90:12-17 doi:10.1136/adc.2004.059006
- Smoot DL. Understanding Oppositional-Defiant Disorder. <http://www.smootpsych.com/uploads/2/9/0/6/2906704/odd.pdf>
- The Marital and family functioning of adults with ADHD and their spouses" Journal of Attention Disorders (JAD, 8, 1-10) (JAD, 8, 1-10) <file:///H:/My%20documents/Family%20Functioning/Attention%20research%20Jad%20tests%20October%202004.htm>
- 9 Surefire Strategies That Don't Work for Kids with ADHD. <http://psychcentral.com/blog/archives/2012/10/18/9-surefire-strategies-that-dont-work-for-kids-with-adhd/>

© CADDAC 2015 

15


ADHD THE CHILDREN AND FAMILY

Impact on the Child
Impact on the Siblings
Impact on Family Functioning

© CADDAC 2015 

16


Impact on the Child Preschool to Adolescence

© CADDAC 2015 


17

Preschool Years

- ▶ Even though high levels of activity and impulsiveness common at this age children with ADHD can still be recognized
- ▶ These children are perceived as difficult to control
- ▶ Delayed development, increased activity, and poor social skills
- ▶ Out of their seats more, wandering, talkative, noisy and disruptive
- ▶ ADHD seen at this age tends to remain chronic and severe
- ▶ Girls had more severe symptoms of inattention, but also showed a steeper decline when treated
- ▶ Stress in parents already begins to show


© CADDAC 2015 

18




Primary School Years

- ▶ Stand out from peers in academic functioning
- ▶ Often rejected by their peers
- ▶ Poor self esteem becomes evident
- ▶ Comorbid disorders may become apparent
- ▶ Sleep issues can become more apparent and decrease behavioural functioning during the day
- ▶ This is the age when most assessments occur
- ▶ Family functioning issues become evident


© CADDAC 2015 

19




ADHD in Adolescents

- ▶ Outward activity may decrease and move inward
- ▶ Due to increased demand on attention and EF skills milder cases of ADHD may now become apparent
- ▶ Issues with peer group may become a concern at this time
- ▶ Issues with driving become an issue at this age
- ▶ Abuse of substances can become an issue
- ▶ Aggressive and antisocial behavior may develop especially if ODD present


© CADDAC 2015 

20




Impact on the Child

- ▶ Negative messages, unfair labeling and lack of academic success leads to low self esteem
- ▶ Sometimes the child will take on the role of the class clown or "bad" child rather than being seen as stupid
- ▶ Children may be isolated with few or no friends and excluded from social functions and sports teams
- ▶ Children may be drawn to a poor peer group to gain acceptance
- ▶ Children may develop coexisting disorders especially if ADHD has gone untreated
- ▶ Children may self medicate when older


© CADDAC 2015 

21




Working with Children with ADHD

- ▶ Inform children about their ADHD – Or others will
- ▶ Educate children about ADHD, EF and how it impacts them
- ▶ Do not expect these children to fix themselves
- ▶ Avoid sending a message of “If you only tried harder”
- ▶ Do not lower standards – kids with ADHD can be successful
- ▶ Try and involve children and adolescents in extracurricular activities they can succeed in - boosts their self esteem
- ▶ Focus on the positive to help boost self esteem
- ▶ Don't rely on medication to be the “cure all” and don't give the child the message that the pills will fix everything
- ▶ Focus on EF impairments, teaching them, practicing them, and putting external reminders in place


© CADDAC 2015 

22




Group Discussion

- ▶ Have you informed your child about ADHD and how was this done?
- ▶ What was the outcome?
- ▶ How might you shield your child from negative messages?
- ▶ How have you been able to help to bolster their child's self esteem?
- ▶ What could your school do to assist with this?
- ▶ What strategies could you use to increase the inclusion of the child in social and recreational activities?
- ▶ What can you as a parent do to prevent a child engaging in a poor peer group?


© CADDAC 2015 

23

Impact on Siblings


© CADDAC 2015 

24




Impact on Siblings

- ▷ They may become a victim of their sibling's aggression and temper
- ▷ Their needs receive less attention
- ▷ May be asked to become a care taker of their sibling
- ▷ They have more sadness, worry and anxiety
- ▷ They may be embarrassed by their sibling's behavior or lack of academic success
- ▷ They may feel stigmatized by other's judgment of ADHD
- ▷ This may impact their friendships and functioning
- ▷ May be torn between loving sibling and resenting them


© CADDAC 2015 

25




Group Discussion

- ▷ How have you dealt with the resentment of the child with ADHD by the non-ADHD child – how might we model empathy?
- ▷ How might siblings be included in the process, learning and treatment in a positive way?


© CADDAC 2015 

26

Impact on Family Functioning

© CADDAC 2015 

27




Impact of ADHD on Family Functioning

Child, parents and siblings are all under more stress for the same or different reasons


- ▶ More parent / child conflict
- ▶ Increased sibling conflict
- ▶ Increase of child non compliance
- ▶ Need for more specialized parenting
- ▶ More likely that one or both parents have ADHD which further complicates parent/Child interaction

Coping Strategies

- ▶ The feeling of lack of control of the stressors increases stress
- ▶ Knowing that they have coping strategies can reduce stress


© CADDAC 2015 

28




Long Term Family Consequences

- ▶ Chronic Disability – no respite
- ▶ Increased maternal depression and other mental health problems including alcohol abuse – Why?
- ▶ Increased divorce and family breakups – Why?
- ▶ Increased runaways
- ▶ Family can become isolated due to stigma of child's behaviour and lack of understanding
- ▶ Extended family may need to be educated to decrease judgement and build support


© CADDAC 2015 

29




Group Discussion

- ▶ What do you and your family find the most stressful?
- ▶ Is your family experiencing isolation?
- ▶ Does your family have a support system in place?
- ▶ Do you as a parent get periods of respite?

© CADDAC 2015 

30



References

- Long Term Course of ADHD Diagnosed in Preschool Years can be Chronic and Severe <http://www.nlm.nih.gov/news/science-news/2013/long-term-course-of-adhd-diagnosed-in-preschool-years-can-be-chronic-and-severe.shtml>
- Family dysfunction is more strongly associated with ADHD than with general school problems. *Journal of Attention Disorders*, Vol. 2(4), 209-216. <http://journals.sagepub.com/page/the-impact-of-having-a-child>
- V A Harpin. The effect of ADHD on the life of an individual, their family, and community from preschool to adult life. *Arch Dis Child* 2005;90:12-17 doi:10.1136/adc.2004.059006
- Barkley R.A. ADHD: Nature, Course, Outcomes, and Comorbidity <http://www.continuingeducation.com/active/courses/course003.php>
- Smoot DL. Understanding Oppositional/Defiant Disorder. <http://www.smootpsych.com/uploads/2/9/0/6/2906704/odd.pdf>
- The Marital and Family Functioning of adults with ADHD and their spouses" *Journal of Attention Disorders* (JAD, & 1-10) (JAD, & 1-10) <file:///H:/My%20documents/Family%20Functioning/Attention%20Research%20JOU.pdf> <http://journals.sagepub.com/page/the-impact-of-having-a-child>
- 9 Surefire Strategies That Don't Work for Kids with ADHD. <http://psychcentral.com/blog/archives/2012/10/18/9-surefire-strategies-that-dont-work-for-kids-with-adhd/>

© CADDAC 2015 